

# INTERIOR WALL RECESSED


Wall recessed luminaires are often applied to provide direction and guarantee safety, but the Delta Light® range has much more to offer. In addition to functional or directional lighting, the collection enables you to create playful light effects and original compositions. You can combine several fixtures to produce an attractive and artistic setting. Or you can opt for a discrete, but entertaining light emphasis.

[www.deltalight.com/IWR](http://www.deltalight.com/IWR)



To discover more, or download technical files of your preferred product, just add the product reference (without colour) or name to the [deltalight.com](http://deltalight.com) url. E.g. [www.deltalight.com/3040512](http://www.deltalight.com/3040512) or [www.deltalight.com/inlet](http://www.deltalight.com/inlet)





# INDEX

## INTERIOR WALL RECESSED




**HELI**  
INT 500



**LEDS C S**  
INT 507



**LOGIC MINI W R**  
INT 502



**INLET**  
INT 509



**LOGIC MINI W S**  
INT 502



**FEMTOLINE**  
INT 511



**LOGIC W L**  
INT 503



**SKELP**  
INT 513



**LOGIC W S**  
INT 503



**VICE VERSA**  
INT 515



**LEDS C R**  
INT 507

FEMTOLINE	INT 511
HELI 1 LED	INT 500
INLET S	INT 509
LEDS C®	INT 507
LOGIC MINI W R	INT 502
LOGIC MINI W S	INT 502
LOGIC W L	INT 503
LOGIC W S	INT 503
SKELP	INT 513
VICE VERSA F LED	INT 515

FULL INFO / PAG TEC

Options

INSTALLATION




<b>PLASTERKIT 115</b> 202 31 99	150 x 150	75 x 75
<b>PLASTERKIT 186</b> 207 01 186	190 x 150	75 x 75
<b>CONCRETE BOX 115</b> 202 31 98	150 x 150 x 80	155 x 155
<b>CONCRETE BOX 186</b> 270 11 186	145 x 105 x 70	105 x 110
<b>MOUNTING KIT 75</b> 202 00 75	117 x 117 x 22	Ø121

CONTROL GEAR





LED POWER SUPPLY  
ALL INFO ON FOLD-OUT COVER



<b>TRANSFO 50W</b> 200 46 06	86 x 31 x 20
<b>TRANSFO 100W</b> 200 46 10	107 x 35 x 21



Heli 1 LED



75 x 75 x 60

**HELI 1 LED NW** ◇

202 04 34 ◇

◇ = A / W

INCL. 1 x LEDCLUSTER WHITE [A] 1,1W / 4000K ●

**HELI 1 LED WW** ◇

202 04 32 ◇

◇ = A / W

INCL. 1 x LEDCLUSTER WHITE [A] 1,1W / 3000K ●

INCL. 1 x HELI 1 PC SBL

EXCL. LED POWER SUPPLY 350mA-DC

Ⓜ CE 0,2 IP40

OPTIONS

PLASTERKIT 186

CONCRETE BOX 186

MOUNTING KIT 75

LED POWER SUPPLY 350mA-DC / DIM

75 x 75 x 85

**HELI 1 SCREEN LED NW** ◇

202 04 14 ◇

◇ = A / W

INCL. 1 x POWERLED WHITE [A] 1,1W / 4000K ●

**HELI 1 SCREEN LED WW** ◇

202 04 12 ◇

◇ = A / W

INCL. 1 x POWERLED WHITE [A] 1,1W / 3000K ●

EXCL. LED POWER SUPPLY 350mA-DC

Ⓜ CE 0,2 IP20

OPTIONS

PLASTERKIT 186

CONCRETE BOX 186




MOUNTING KIT 75

LED POWER SUPPLY 350mA-DC / DIM





## Heli 1



64 x 71 x 85

### HELI 1 WHITE ◊

202 31 00 ◊

◊ = ANO

INCL. 1 x HELI 1 GLASS SBL  
G4 / 12V / EXCL. TRANSFO

⇒ 1 x QT9 max.20W

◊ ◊ CE 0,2 IP20 (0,1)

#### OPTIONS

PLASTERKIT 115  
CONCRETE BOX 115  
TRANSFO

64 x 71 x 85

### HELI 1 SCREEN ◊

202 31 10 ◊

◊ = ANO

INCL. 1 x HELI 1 GLASS  
G4 / 12V / EXCL. TRANSFO

⇒ 1 x QT9 max.20W

◊ ◊ CE 0,2 IP20 (0,1)

#### OPTIONS

PLASTERKIT 115  
CONCRETE BOX 115  
TRANSFO


FULL INFO / PAG TEC

## Requirements

### INSTALLATION


**CONCRETE BOX 191**  
270 11 191

315 x 80




**CONCRETE BOX 192**  
270 11 192

135 x 125



**CONCRETE PACK LOGIC W L**  
304 32 96

315 x 80



**CONCRETE PACK LOGIC W S**  
304 33 96

135 x 125



FULL INFO / PAG TEC

## Options

### INSTALLATION

**CONCRETE BOX 188**  
270 11 188



Ø60 x 65

Ø67 x 70

### CONTROL GEAR

**LED POWER SUPPLY**  
24V-DC / 20W  
300 89 24 20


146 x 55 x 19



new



## Logic Mini W R



Ø 55 x 50

**LOGIC MINI W R** ◊  
304 30 12 ◊

◊ = A / W

INCL. 1 x POWERLED WHITE 0,6W / 3000K ● / 40lm  
EXCL. LED POWER SUPPLY 24V-DC

CE 0,2 IP54


### OPTIONS

CONCRETE BOX 188  
LED POWER SUPPLY 24V-DC

new



## Logic Mini W S



Ø 55 x 50

**LOGIC MINI W S** ◊  
304 31 12 ◊

◊ = A / W

INCL. 1 x POWERLED WHITE 0,6W / 3000K ● / 40lm  
EXCL. LED POWER SUPPLY 24V-DC

CE 0,2 IP54

### OPTIONS




CONCRETE BOX 188  
LED POWER SUPPLY 24V-DC



Logic W L



Logic W S



BOX 110-135

**LOGIC W L F**

**304 32 02 83**

◇ = A / N / W

INCL. 1 x GLASS SBL

INCL. 1 x LED CLUSTER 9,5W / 3000K / 1270lm

INCL. LED POWER SUPPLY 350mA-DC

INCL. 1 x PG11

110-240V / 50-60Hz

◇ CE 1.0 IP65

REQUIREMENTS

CONCRETE BOX 191

or

CONCRETE PACK LOGIC W L

BOX 110-135

**LOGIC W L**

**304 32 01 83**

◇ = A / N / W

INCL. 1 x GLASS SBL

INCL. 1 x LED CLUSTER 9,5W / 3000K / 1270lm

INCL. LED POWER SUPPLY 350mA-DC

INCL. 1 x PG11

110-240V / 50-60Hz

◇ CE 1.0 IP65

REQUIREMENTS

CONCRETE BOX 191

or

CONCRETE PACK LOGIC W L

BOX 115-140

**LOGIC W S**

**304 33 01 83**

◇ = A / N / W

INCL. 1 x PC SBL

INCL. 1 x POWERLED 6,2W / 3000K / 703lm

INCL. LED POWER SUPPLY 350mA-DC

INCL. 1 x PG11

110-240V / 50-60Hz

◇ CE 1.0 IP65


REQUIREMENTS

CONCRETE BOX 192

or

CONCRETE PACK LOGIC W S









FULL INFO / PAG TEC

**Options**

**INSTALLATION**



<b>CONCRETE BOX 151</b> 302 19 21	42 x 42 x 58	43 x 43
<b>CONCRETE BOX TR 152</b> 302 19 22	42 x 42 x 58	43 x 43
<b>CONCRETE BOX 153</b> 302 20 21	43 x 43 x 60	43 x 43
<b>CONCRETE BOX TR 154</b> 302 20 22	43 x 43 x 60	43 x 43

**CONTROL GEAR**







LED POWER SUPPLY  
ALL INFO ON FOLD-OUT COVER





Leds C®



41 x 38

**LEDS C R ST NW** ◇

**302 20 34** ◇

◇ = ANO

INCL.1 x POWERLED WHITE [A] 1,1W / 4000K ●


**LEDS C R ST WW** ◇

**302 20 32** ◇

◇ = ANO

INCL.1 x POWERLED WHITE [A] 1,1W / 3000K ●

EXCL.LED POWER SUPPLY 350mA-DC



**OPTIONS**

LED POWER SUPPLY 350mA-DC / DIM

41 x 38

**LEDS C® R NW** ◇

**302 20 10** ◇

◇ = ANO

INCL.1 x POWERLED WHITE [A] 1,1W / 4000K ●

**LEDS C® R WW** ◇

**302 20 12** ◇

◇ = ANO

INCL.1 x POWERLED WHITE [A] 1,1W / 3000K ●


**LEDS C® R BLUE** ◇

**302 20 11 BL** ◇

◇ = ANO

INCL.1 x POWERLED BLUE [A] 1,1W ●

EXCL.LED POWER SUPPLY 350mA-DC



**OPTIONS**

CONCRETE BOX 153

CONCRETE BOX TR 154

LED POWER SUPPLY 350mA-DC / DIM

38 x 38 x 38

**LEDS C® S NW** ◇

**302 20 44** ◇

◇ = ANO

INCL.1 x POWERLED WHITE [A] 1,1W / 4000K ●

**LEDS C® S WW** ◇

**302 20 42** ◇

◇ = ANO

INCL.1 x POWERLED WHITE [A] 1,1W / 3000K ●


**LEDS C® S BLUE** ◇

**302 20 41 BL** ◇

◇ = ANO

INCL.1 x POWERLED BLUE [A] 1,1W ●

EXCL.LED POWER SUPPLY 350mA-DC




**OPTIONS**

CONCRETE BOX 151

CONCRETE BOX TR 152

LED POWER SUPPLY 350mA-DC / DIM



1976 2 | WLADIMIRO PANIZZA 3 | MICHEL LAURENT

1975 2 | FRANCESCO MOSEN 3 | GUY SIBILLE

1973 2 | SAHMI MOTTA 3 | MARINO BASSO

1972 2 | FELICE BIGNARDI 3 | MARIA PETERSSON

1971 2 | MARCO COZZI 3 | MICHELE KASER

1970 2 | ... 3 | ...

1969 2 | ... 3 | ...

1968 2 | ... 3 | ...

1967 2 | ... 3 | ...

1966 2 | ... 3 | ...

1965 2 | ... 3 | ...

1964 2 | ... 3 | ...

1963 2 | ... 3 | ...

1962 2 | ... 3 | ...

1961 2 | ... 3 | ...

1960 2 | ... 3 | ...

1959 2 | ... 3 | ...

1958 2 | ... 3 | ...

1957 2 | ... 3 | ...

1956 2 | ... 3 | ...

1955 2 | ... 3 | ...

1954 2 | ... 3 | ...

1953 2 | ... 3 | ...

1952 2 | ... 3 | ...

1951 2 | ... 3 | ...

1950 2 | ... 3 | ...

FULL INFO / PAG TEC

## Options

### INSTALLATION



**PLASTERKIT 145** 140 x 235 110 x 180  
304 05 99


**CONCRETE BOX 145** 150 x 210 x 75 155 x 215  
304 05 98

### CONTROL GEAR

LED POWER SUPPLY  
ALL INFO ON FOLD-OUT COVER



## Inlet S



22 x 170 x 45 min.12

### INLET S NW

304 05 14

◇ = A / W

INCL.1 x POWERLED WHITE [A] 1,1W / 4000K

### INLET S WW

304 05 12

◇ = A / W

INCL.1 x POWERLED WHITE [A] 1,1W / 3000K

### INLET S HW

304 05 13

◇ = A / W

INCL.1 x POWERLED WHITE [A] 1,1W / 2700K

### INLET S BLUE

304 05 11 BL

◇ = A

INCL.1 x POWERLED BLUE 1,1W

EXCL.LED POWER SUPPLY 350mA-DC


CE 0,2 IP20

### OPTIONS

PLASTERKIT 145




CONCRETE BOX 145

LED POWER SUPPLY 350mA-DC / DIM




FULL INFO / PAG TEC

**Options**

INSTALLATION			
<b>PLASTERKIT 184</b> 207 01 184	304 x 85	222 x 54	
<b>CONCRETE BOX 184</b> 270 11 184	270 x 91 x 65	273 x 94	
CONTROL GEAR			
<b>LED POWER SUPPLY</b> 24V-DC / 20W 300 89 24 20	146 x 55 x 19		
<b>LED POWER SUPPLY</b> 24V-DC / 40W 300 89 24 40	242 x 46 x 36		
<b>LED POWER SUPPLY</b> 24V-DC / 60W 300 89 24 60	211 x 43 x 28		
<b>LED POWER SUPPLY</b> 24V-DC / 150W 300 89 24 150	260 x 60 x 49		



**Femtoline**



**L** 219 x 38 x 65

**FEMTOLINE 145 NW** ◇

**376 01 244** ◇

◇ = ANO

INCL.1 x LEDSTRIP WHITE 4000K / 1,5W ●




**FEMTOLINE 145 WW** ◇

**376 01 242** ◇

◇ = ANO

INCL.1 x LEDSTRIP WHITE 3000K / 1,5W ●

INCL.1 x PC SBL  
EXCL.LED POWER SUPPLY 24V-DC

   IP22

**OPTIONS**

- PLASTERKIT 184
- CONCRETE BOX 184
- LED POWER SUPPLY 24V-DC






FULL INFO / PAG TEC

## Requirements

### MOUNTING KIT SKELP TRIMLESS 202 15 61 972

152 x 100 max:25

0,4



FULL INFO / PAG TEC

## Options

### INSTALLATION

PLASTERKIT 181  
207 01 181








250 x 250

170 x 170



## Skelp



ØKIT x 100

### SKELP TRIMLESS LED WW ◇

320 01 12 ◇

◇ = W

INCL. 1 x POWERLED WHITE 6,2W / 3000K ●  
INCL. LED POWER SUPPLY 350mA-DC  
220-240V / 50-60Hz

CE 0,4 IP20

#### REQUIREMENTS

MOUNTING KIT SKELP TRIMLESS

152 x 100

### SKELP LED WW ◇

320 02 12 ◇

◇ = B-MMAT / W-W

INCL. 1 x POWERLED WHITE 6,2W / 3000K ●  
INCL. LED POWER SUPPLY 350mA-DC  
220-240V / 50-60Hz

CE 0,4 IP20

#### OPTIONS

PLASTERKIT 181

CRI>80 703lm (6,2W)



SKELP LED B-MMAT



FULL INFO / PAG TEC

Options

INSTALLATION




**PLASTERKIT 180** 190 x 355 155 x 325  
207 01 180

**CONCRETE BOX 180** 266 x 355 x 101 185 x 350  
270 11 180



Vice Versa F LED



131 x 170 x 95 max.20

**VICE VERSA F LED** ◇

**276 07 12** ◇

◇ = A-ANO / B-MMAT

INCL. 1 x POWERLED WHITE 3,5W / 3000K ●

INCL. LED POWER SUPPLY 350mA-DC

100-240V / 50-60Hz

◇ CE 1.7 IP20

OPTIONS

PLASTERKIT 180

CONCRETE BOX 180



VICE VERSA F LED B-MMAT